

LandboNord - Planteavl
Erhvervsparken 1
9700 Brønderslev

Att: Resultat Planteavl

Modtaget dato	19-08-2022	Arkiv nummer	AR-22-DR-020318-01
Analyse påbegyndt	19-08-2022	EOL batch	
Analyse afsluttet	29-08-2022	Batch nummer	EUDKHO2-00166781
Certifikat klar	29-08-2022	Prøve nummer	630-2022-00020012
Prøvens mærkning §	Prøve nr. 1		
Udtaget hos §	Kærvang Mateialer	Adresse §	Tylstrupvej 4
Postnr. og by §	9382 Tylstrup	Telefon §	40360969
Kopist email §	info@kaervangmaterialer.dk	Prøve udtag dato §	18-08-2022

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
#1) ZVP92	<i>Intern metode / LC-MS/MS</i>				
	Screenede pesticider (alle)	<LOQ	mg/kg		
	Thiabendazol	<0.01 (LOD)	mg/kg		
	Imazalil (any ratio of constituent isomers)	<0.01 (LOD)	mg/kg		
	Sethoxydim	<0.01 (LOD)	mg/kg		
	2,4,5-T	<0.01 (LOD)	mg/kg		
	2,4-D	<0.01 (LOD)	mg/kg		
	2,4-DB	<0.01 (LOD)	mg/kg		
	Abamectin	<0.01 (LOD)	mg/kg		
	Acephat	<0.01 (LOD)	mg/kg		
	Aldicarb	<0.01 (LOD)	mg/kg		
	Butocarboxim	<0.01 (LOD)	mg/kg		
	Carbaryl	<0.01 (LOD)	mg/kg		
	Carbofuran	<0.001 (LOD)	mg/kg		
	Chlordimeform	<0.01 (LOD)	mg/kg		
	Chlorthion	<0.01 (LOD)	mg/kg		
	Cymoxanil	<0.01 (LOD)	mg/kg		
	Cyproconazole	<0.01 (LOD)	mg/kg		
	Dicamba	<0.05 (LOD)	mg/kg		
	Dichlofluanid	<0.01 (LOD)	mg/kg		
	Dichlorvos	<0.01 (LOQ)	mg/kg		
	Diclobutrazol	<0.01 (LOD)	mg/kg		
	Difenoconazol	<0.01 (LOD)	mg/kg		
	Dimethoat	<0.01 (LOD)	mg/kg		
	Diuron	<0.01 (LOD)	mg/kg		
	Ethiofencarb	<0.01 (LOD)	mg/kg		
	Fenthion	<0.01 (LOD)	mg/kg		
	Flusilazol	<0.01 (LOD)	mg/kg		
	Hexaconazol	<0.01 (LOD)	mg/kg		
	Iprodion	<0.01 (LOD)	mg/kg		
	Lenacil	<0.01 (LOD)	mg/kg		
	Linuron	<0.01 (LOD)	mg/kg		
	Metalaxyl	<0.01 (LOD)	mg/kg		
	Methamidophos	<0.01 (LOQ)	mg/kg		
	Methidathion	<0.01 (LOD)	mg/kg		
	Methomyl	<0.01 (LOD)	mg/kg		
	Monolinuron	<0.01 (LOD)	mg/kg		
	Myclobutanil (sum of constituent isomers)	<0.01 (LOD)	mg/kg		
	Oxadixyl	<0.01 (LOD)	mg/kg		
	Paclbutrazol	<0.01 (LOD)	mg/kg		
	Penconazol (sum of constituent isomers)	<0.01 (LOD)	mg/kg		
	Phorate	<0.01 (LOD)	mg/kg		
	Phosalon	<0.01 (LOD)	mg/kg		
	Phosmet	<0.01 (LOD)	mg/kg		
	Pirimicarb	<0.01 (LOD)	mg/kg		
	Profenofos	<0.01 (LOD)	mg/kg		

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
	Propiconazol (sum of isomers)	<0.01 (LOD)	mg/kg		
	Propoxur	<0.01 (LOD)	mg/kg		
	Pyrazophos	<0.01 (LOD)	mg/kg		
	Pyrethriner (total)	<0.01 (LOD)	mg/kg		
	Tebufozid	<0.01 (LOD)	mg/kg		
	Thiofanox	<0.01 (LOD)	mg/kg		
	Thiometon	<0.01 (LOD)	mg/kg		
	Tolclofos-methyl	<0.01 (LOD)	mg/kg		
	Tolyfluanid	<0.01 (LOD)	mg/kg		
	Triazophos	<0.01 (LOD)	mg/kg		
	Trichlorfon	<0.01 (LOD)	mg/kg		
	Triforine	<0.01 (LOD)	mg/kg		
	Vamidothion	<0.01 (LOD)	mg/kg		
	Cycloxydim	<0.01 (LOD)	mg/kg		
	Furalaxyl	<0.01 (LOD)	mg/kg		
	Flurochloridone	<0.01 (LOD)	mg/kg		
	Aziprotryn	<0.05 (LOD)	mg/kg		
	Bentazon	<0.01 (LOD)	mg/kg		
	Bromoxynil	<0.01 (LOD)	mg/kg		
	Chloramben	<0.1 (LOD)	mg/kg		
	Chlordecon	<0.01 (LOD)	mg/kg		
	2,4-DP (dichlorprop)	<0.01 (LOD)	mg/kg		
	Diclofop-methyl	<0.01 (LOD)	mg/kg		
	Dinocap	<0.01 (LOD)	mg/kg		
	Dithianon	<0.01 (LOD)	mg/kg		
	Fenoprop	<0.01 (LOD)	mg/kg		
	Fluazinam	<0.01 (LOD)	mg/kg		
	Fluroxypyr	<0.01 (LOD)	mg/kg		
	Haloxypop	<0.01 (LOD)	mg/kg		
	loxynil	<0.01 (LOD)	mg/kg		
	2,4-MCPP (mecoprop)	<0.01 (LOD)	mg/kg		
	(2-Naphtyloxy) eddikesyre	<0.01 (LOD)	mg/kg		
	2-(1-Naphthyl) eddikesyre	<0.01 (LOD)	mg/kg		
	Picloram	<0.1 (LOD)	mg/kg		
	Triclopyr	<0.01 (LOD)	mg/kg		
	Aldicarb sulfone	<0.01 (LOD)	mg/kg		
	Aldicarb sulfoxide	<0.01 (LOD)	mg/kg		
	Anilazine	<0.05 (LOQ)	mg/kg		
	Atrazin	<0.01 (LOD)	mg/kg		
	Atrazin, desisopropyl-	<0.05 (LOD)	mg/kg		
	Azamethiphos	<0.01 (LOD)	mg/kg		
	Azinphos-methyl	<0.01 (LOD)	mg/kg		
	Azoxystrobin	<0.01 (LOD)	mg/kg		
	Benomyl	<0 (LOD)	mg/kg		
	Bitertanol	<0.01 (LOD)	mg/kg		
	Bromuconazol	<0.01 (LOD)	mg/kg		
	Bupirimate	<0.01 (LOD)	mg/kg		
	Buprofezin	<0.01 (LOD)	mg/kg		
	Butoxycarboxim	<0.01 (LOD)	mg/kg		
	Buturon	<0.01 (LOD)	mg/kg		
	Carbofuran, 3-hydroxy-	<0.001 (LOD)	mg/kg		
	Carbosulfan	<0.01 (LOD)	mg/kg		
	Carboxin	<0.01 (LOD)	mg/kg		
	Chlorbromuron	<0.01 (LOD)	mg/kg		
	Chloroxuron	<0.01 (LOD)	mg/kg		
	Chlortoluron	<0.01 (LOD)	mg/kg		
	Climbazole	<0.01 (LOD)	mg/kg		
	Clofentezin	<0.01 (LOD)	mg/kg		
	Cyprodinil	<0.01 (LOD)	mg/kg		
	Demeton-S-methylsulfon	<0.01 (LOD)	mg/kg		
	Oxydemeton-methyl	<0.01 (LOD)	mg/kg		
	Dicrotophos	<0.01 (LOD)	mg/kg		
	Diethofencarb	<0.01 (LOD)	mg/kg		

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
	Diflubenzuron	<0.01 (LOD)	mg/kg		
	Dimethenamid	<0.01 (LOD)	mg/kg		
	Dimethomorph	<0.01 (LOD)	mg/kg		
	Diniconazole	<0.01 (LOD)	mg/kg		
	Dipropetryne	<0.01 (LOD)	mg/kg		
	Dodin	<0.01 (LOD)	mg/kg		
	Epoxiconazol	<0.01 (LOD)	mg/kg		
	Ethofenprox	<0.01 (LOD)	mg/kg		
	Etoazole	<0.01 (LOD)	mg/kg		
	Famoxadon	<0.01 (LOD)	mg/kg		
	Famophos	<0.01 (LOD)	mg/kg		
	Fenamiphos	<0.01 (LOD)	mg/kg		
	Fenarimol	<0.01 (LOD)	mg/kg		
	Fenazaquin	<0.01 (LOD)	mg/kg		
	Fenbuconazole	<0.01 (LOD)	mg/kg		
	Fenoxycarb	<0.01 (LOD)	mg/kg		
	Fenpropimorph	<0.01 (LOD)	mg/kg		
	Fenthion-PO-sulfon	<0.01 (LOD)	mg/kg		
	Fenthion-PS-sulfon	<0.01 (LOD)	mg/kg		
	Fenuron	<0.01 (LOD)	mg/kg		
	Fluazifop-P-butyl	<0.01 (LOD)	mg/kg		
	Fluotrimazole	<0.01 (LOD)	mg/kg		
	Flutriafol	<0.01 (LOD)	mg/kg		
	Furathiocarb	<0.01 (LOD)	mg/kg		
	Hexythiazox	<0.01 (LOD)	mg/kg		
	Imazaquin	<0.01 (LOD)	mg/kg		
	Imidacloprid	<0.01 (LOD)	mg/kg		
	Indoxacarb (sum, R+S isomers)	<0.01 (LOD)	mg/kg		
	Iprovalicarb	<0.01 (LOD)	mg/kg		
	Isoxaben	<0.01 (LOD)	mg/kg		
	Isoxathion	<0.01 (LOD)	mg/kg		
	Kresoxim-methyl	<0.01 (LOD)	mg/kg		
	Mephosfolan	<0.01 (LOD)	mg/kg		
	Metaldehyd	<0.01 (LOD)	mg/kg		
	Metconazol	<0.02 (LOQ)	mg/kg		
	Methiocarb	<0.01 (LOD)	mg/kg		
	Methiocarb sulfone	<0.01 (LOQ)	mg/kg		
	Metobromuron	<0.01 (LOD)	mg/kg		
	Metoxuron	<0.01 (LOD)	mg/kg		
	Monocrotophos	<0.01 (LOD)	mg/kg		
	Monuron	<0.01 (LOD)	mg/kg		
	Naled	<0.01 (LOD)	mg/kg		
	Neburon	<0.01 (LOD)	mg/kg		
	Nitralin	<0.01 (LOD)	mg/kg		
	Nuarimol	<0.01 (LOD)	mg/kg		
	Omethoat	<0.01 (LOD)	mg/kg		
	Oxamyl	<0.01 (LOD)	mg/kg		
	Oxycarboxin	<0.01 (LOD)	mg/kg		
	Paraoxon-ethyl	<0.01 (LOD)	mg/kg		
	Paraoxon-methyl	<0.01 (LOD)	mg/kg		
	Pebulate	<0.01 (LOD)	mg/kg		
	Phenmedipham	<0.01 (LOD)	mg/kg		
	Phosphamidon	<0.01 (LOD)	mg/kg		
	Phoxim	<0.01 (LOD)	mg/kg		
	Piperonyl butoxid (PBO)	<0.01 (LOD)	mg/kg		
	Pirimicarb-desmethyl	<0.01 (LOD)	mg/kg		
	Prochloraz	<0.01 (LOD)	mg/kg		
	Propyzamid	<0.01 (LOD)	mg/kg		
	Prosulfocarb	<0.01 (LOD)	mg/kg		
	Pyraclufos	<0.01 (LOD)	mg/kg		
	Pyridaben	<0.01 (LOD)	mg/kg		
	Pyridaphenthion	<0.01 (LOD)	mg/kg		
	Pyridat	<0.01 (LOD)	mg/kg		

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
	Pyrifenox	<0.01 (LOD)	mg/kg		
	Pyriproxyfen	<0.01 (LOD)	mg/kg		
	Kvinmerac	<0.05 (LOQ)	mg/kg		
	Simazin	<0.01 (LOD)	mg/kg		
	Sulcotrion	<0.02 (LOD)	mg/kg		
	Tebuconazol	<0.01 (LOD)	mg/kg		
	Tebufenpyrad	<0.01 (LOD)	mg/kg		
	Terbufos	<0.01 (LOD)	mg/kg		
	Terbuthylazin	<0.01 (LOD)	mg/kg		
	Thiodicarb	<0.01 (LOD)	mg/kg		
	Thiophanat-methyl	<0.01 (LOD)	mg/kg		
	Triadimefon	<0.01 (LOD)	mg/kg		
	Tridemorph	<0.01 (LOD)	mg/kg		
	Triflumizol	<0.01 (LOD)	mg/kg		
	Propamocarb (Sum of propamocarb and its salts, exp	<0.01 (LOD)	mg/kg		
	2,4,6-Trichlorophenoxyacetic Acid	<0.01 (LOD)	mg/kg		
	2-Hydroxybenzothiazol	<0.01 (LOD)	mg/kg		
	4-Bromophenylurea	<0.01 (LOD)	mg/kg		
	4-CPA	<0.01 (LOD)	mg/kg		
	Benzovindiflupyr	<0.01 (LOD)	mg/kg		
	Chlorothalonil-4-hydroxy	<0.01 (LOD)	mg/kg		
	Cyclanilide	<0.01 (LOD)	mg/kg		
	Cyenopyrafen	<0.01 (LOD)	mg/kg		
	Dichlorophen	<0.01 (LOD)	mg/kg		
	DNOC	<0.03 (LOD)	mg/kg		
	Fipronil	<0.01 (LOD)	mg/kg		
	Fipronil sulfon	<0.01 (LOD)	mg/kg		
	Flonicamid-TFNA-AM	<0.01 (LOD)	mg/kg		
	TFNA	<0.01 (LOD)	mg/kg		
	TFNG	<0.01 (LOQ)	mg/kg		
	Fluazifop	<0.01 (LOD)	mg/kg		
	Gibberellic Acid	<0.01 (LOD)	mg/kg		
	Imazamox	<0.01 (LOD)	mg/kg		
	Lufenuron	<0.01 (LOD)	mg/kg		
	MCPA	<0.01 (LOD)	mg/kg		
	MCPB	<0.01 (LOD)	mg/kg		
	Meptyldinocap	<0.01 (LOD)	mg/kg		
	Prohexadione Calcium	<0.05 (LOD)	mg/kg		
	6-Benzyladenin	<0.01 (LOD)	mg/kg		
	Avermectin B1a	<0.01 (LOD)	mg/kg		
	Avermectin B1b	<0.01 (LOD)	mg/kg		
	Acequinocyl	<0.01 (LOD)	mg/kg		
	Acetamiprid	<0.01 (LOD)	mg/kg		
	Alanycarb	<0.01 (LOD)	mg/kg		
	Ametoctradin	<0.01 (LOD)	mg/kg		
	Amisulbrom	<0.01 (LOD)	mg/kg		
	Asulam	<0.01 (LOQ)	mg/kg		
	Atrazin-desethyl	<0.01 (LOD)	mg/kg		
	Azaconazol	<0.01 (LOD)	mg/kg		
	Azadirachtin	<0.01 (LOD)	mg/kg		
	Azimsulfuron	<0.01 (LOD)	mg/kg		
	Benzyltrimethyldecylammonium chloride (BAC C12)	<0.01 (LOD)	mg/kg		
	Benzyltrimethyltetradecylammonium chloride (BAC C14)	<0.01 (LOD)	mg/kg		
	Barban	<0.01 (LOD)	mg/kg		
	Beflubutamid	<0.01 (LOD)	mg/kg		
	Benoxacor	<0.01 (LOD)	mg/kg		
	Benthiavalicarb-isopropyl	<0.01 (LOD)	mg/kg		
	Benzoximate	<0.01 (LOD)	mg/kg		
	Bixafen	<0.01 (LOD)	mg/kg		
	Boscalid	<0.01 (LOD)	mg/kg		
	Butafenacil	<0.01 (LOD)	mg/kg		

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
	Butocarboxim sulfoxide	<0.01 (LOQ)	mg/kg		
	Carbendazim	<0.01 (LOD)	mg/kg		
	Carbetamide	<0.01 (LOD)	mg/kg		
	Carbofuran, 3-keto	<0.01 (LOD)	mg/kg		
	Carfentrazone-ethyl	<0.01 (LOD)	mg/kg		
	Carpropamid	<0.01 (LOD)	mg/kg		
	Chlorantraniliprol	<0.01 (LOD)	mg/kg		
	Chlorfluazuron	<0.01 (LOD)	mg/kg		
	Chlorthiophos	<0.01 (LOD)	mg/kg		
	Chlorthiophos-sulfone	<0.01 (LOD)	mg/kg		
	Cinerin I	<0.01 (LOD)	mg/kg		
	Cinerin II	<0.01 (LOD)	mg/kg		
	Clethodim	<0.01 (LOD)	mg/kg		
	Clodinafop	<0.01 (LOD)	mg/kg		
	Clopyralid	<0.5 (LOD)	mg/kg		
	Clothianidin	<0.01 (LOD)	mg/kg		
	Crimidin	<0.01 (LOD)	mg/kg		
	Cyantraniliprole	<0.01 (LOD)	mg/kg		
	Cyazofamid	<0.01 (LOD)	mg/kg		
	Cyflufenamid	<0.01 (LOD)	mg/kg		
	Cyflumetofen	<0.01 (LOD)	mg/kg		
	Cythioate	<0.01 (LOD)	mg/kg		
	Dimethylammoniumchlorid (sum) (DDAC)	<0.01 (LOD)	mg/kg		
	DEET (Diethyltoluamid)	<0.01 (LOD)	mg/kg		
	Desmedipham	<0.01 (LOD)	mg/kg		
	Dimethirimol	<0.01 (LOD)	mg/kg		
	Dimoxystrobin	<0.01 (LOD)	mg/kg		
	Dinotefuran	<0.01 (LOD)	mg/kg		
	Dimethylphenylsulfamid (DMSA)	<0.01 (LOD)	mg/kg		
	Dimethylaminosulphotoluidide (DMST)	<0.01 (LOD)	mg/kg		
	Dodemorf	<0.01 (LOD)	mg/kg		
	Emamectin	<0.01 (LOD)	mg/kg		
	Ethiofencarb-sulfon	<0.01 (LOD)	mg/kg		
	Ethiofencarb-sulfoxid	<0.01 (LOD)	mg/kg		
	Ethiprol	<0.01 (LOD)	mg/kg		
	Ethirimol	<0.01 (LOD)	mg/kg		
	Ethoxysulfuron	<0.01 (LOD)	mg/kg		
	Fenamidon	<0.01 (LOD)	mg/kg		
	Fenamiphos-sulfon	<0.01 (LOD)	mg/kg		
	Fenamiphos-sulfoxid	<0.01 (LOD)	mg/kg		
	Fenhexamid	<0.01 (LOD)	mg/kg		
	Fenpropidin	<0.01 (LOD)	mg/kg		
	Fenpyrazamin	<0.01 (LOD)	mg/kg		
	Fenpyroximat	<0.01 (LOD)	mg/kg		
	Fenthion-oxon	<0.01 (LOD)	mg/kg		
	Fenthion-PO-sulfoxid	<0.01 (LOD)	mg/kg		
	Fenthion-PS-sulfoxid	<0.01 (LOD)	mg/kg		
	Flazasulfuron	<0.01 (LOD)	mg/kg		
	Flonicamid	<0.01 (LOD)	mg/kg		
	Florasulam	<0.01 (LOD)	mg/kg		
	Flubendiamide	<0.01 (LOD)	mg/kg		
	Flucycloxuron	<0.01 (LOD)	mg/kg		
	Flufenacet	<0.01 (LOD)	mg/kg		
	Flufenoxuron	<0.01 (LOD)	mg/kg		
	Flumioxazin	<0.01 (LOD)	mg/kg		
	Fluopicolid	<0.01 (LOD)	mg/kg		
	Fluopyram	<0.01 (LOD)	mg/kg		
	Fluoxastrobin	<0.01 (LOD)	mg/kg		
	Flupyradifurone	<0.01 (LOD)	mg/kg		
	Flupyr-sulfuron-methyl	<0.01 (LOD)	mg/kg		
	Fluquinconazol	<0.01 (LOD)	mg/kg		
	Fluroxypyr-Methylheptyl	<0.01 (LOD)	mg/kg		
	Fluthiacet-methyl	<0.01 (LOD)	mg/kg		

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
	Flutolanil	<0.01 (LOD)	mg/kg		
	Fluxapyroxad	<0.01 (LOD)	mg/kg		
	Foramsulfuron	<0.01 (LOD)	mg/kg		
	Forchlorfenuron	<0.01 (LOD)	mg/kg		
	Fosthiazat	<0.01 (LOD)	mg/kg		
	Halofenozide	<0.01 (LOD)	mg/kg		
	Hexaflumuron	<0.01 (LOD)	mg/kg		
	Hymexazol	<0.1 (LOD)	mg/kg		
	Imazamethabenz-methyl	<0.01 (LOD)	mg/kg		
	Imibenconazol	<0.01 (LOD)	mg/kg		
	Iodosulfuron methyl	<0.01 (LOD)	mg/kg		
	Isocarbofos	<0.01 (LOD)	mg/kg		
	Isoprothiolan	<0.01 (LOD)	mg/kg		
	Isopyrazam	<0.01 (LOD)	mg/kg		
	Isouron	<0.01 (LOD)	mg/kg		
	Isoxaflutol	<0.01 (LOD)	mg/kg		
	Jasmolin I	<0.01 (LOD)	mg/kg		
	Jasmolin II	<0.01 (LOD)	mg/kg		
	Malathion	<0.01 (LOD)	mg/kg		
	Mandipropamid (any ratio of constituent isomers)	<0.01 (LOD)	mg/kg		
	Mefenacet	<0.01 (LOD)	mg/kg		
	Mefenpyr-diethyl	<0.01 (LOD)	mg/kg		
	Mepanipyrim	<0.01 (LOD)	mg/kg		
	Mepronil	<0.01 (LOD)	mg/kg		
	Mesosulfuron methyl	<0.01 (LOD)	mg/kg		
	Mesotrione	<0.01 (LOD)	mg/kg		
	Metaflumizon (sum af E- og Z- isomerer)	<0.01 (LOD)	mg/kg		
	Metamitron	<0.01 (LOD)	mg/kg		
	Methiocarb sulfoxid	<0.01 (LOD)	mg/kg		
	Methoxyfenozid	<0.01 (LOD)	mg/kg		
	Metosulam	<0.01 (LOD)	mg/kg		
	Metsulfuron methyl	<0.02 (LOQ)	mg/kg		
	Nicosulfuron	<0.01 (LOD)	mg/kg		
	Nitenpyram	<0.01 (LOQ)	mg/kg		
	Novaluron	<0.01 (LOD)	mg/kg		
	Oxasulfuron	<0.01 (LOD)	mg/kg		
	Pencycuron	<0.01 (LOD)	mg/kg		
	Penflufen	<0.01 (LOD)	mg/kg		
	Penthiopyrad	<0.01 (LOD)	mg/kg		
	Phenisopham	<0.01 (LOD)	mg/kg		
	Phorate-O-analogue	<0.01 (LOD)	mg/kg		
	Phorate-oxon-sulfone	<0.01 (LOD)	mg/kg		
	Phorate-sulfone	<0.01 (LOD)	mg/kg		
	Phorate sulfoxyde	<0.01 (LOD)	mg/kg		
	Phosmet-oxon	<0.01 (LOD)	mg/kg		
	Picaridin	<0.01 (LOD)	mg/kg		
	Picolinafen	<0.01 (LOD)	mg/kg		
	Picoxystrobin	<0.01 (LOD)	mg/kg		
	Pinoxaden	<0.01 (LOD)	mg/kg		
	BTS 44595	<0.01 (LOD)	mg/kg		
	BTS 44596	<0.01 (LOD)	mg/kg		
	Propaquizafop	<0.01 (LOD)	mg/kg		
	Proquinazid	<0.01 (LOD)	mg/kg		
	Prosulfuron	<0.01 (LOD)	mg/kg		
	Prothioconazole-desthio	<0.01 (LOD)	mg/kg		
	Pyracarbolid	<0.01 (LOD)	mg/kg		
	Pyraclostrobin	<0.01 (LOD)	mg/kg		
	Pyrethrin I	<0.01 (LOD)	mg/kg		
	Pyrethrin II	<0.01 (LOD)	mg/kg		
	Pyridalyl	<0.01 (LOD)	mg/kg		
	6-chlor-3-phenylpyridazin-4-ol(Pyridatmetabolitter	<0.01 (LOD)	mg/kg		
	Pyrimethanil	<0.01 (LOD)	mg/kg		
	Pyrimidifen	<0.01 (LOD)	mg/kg		

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
	Pyroxsulam	<0.01 (LOD)	mg/kg		
	Quinclorac	<0.01 (LOD)	mg/kg		
	Quizalofop	<0.01 (LOD)	mg/kg		
	Rimsulfuron	<0.01 (LOD)	mg/kg		
	Rotenon	<0.01 (LOD)	mg/kg		
	Saflufenacil	<0.01 (LOD)	mg/kg		
	Silafluofen	<0.01 (LOD)	mg/kg		
	Spinetoram A	<0.01 (LOD)	mg/kg		
	Spinosad A	<0.01 (LOD)	mg/kg		
	Spinosad D	<0.01 (LOD)	mg/kg		
	Spirodiclofen	<0.01 (LOD)	mg/kg		
	Spirotetramat	<0.01 (LOD)	mg/kg		
	Spirotetramat-enol	<0.01 (LOD)	mg/kg		
	Spirotetramat-ketohydroxy	<0.01 (LOD)	mg/kg		
	Spirotetramat-enolglucosid	<0.05 (LOQ)	mg/kg		
	Spirotetramat-monohydroxy	<0.01 (LOD)	mg/kg		
	Spiroxamine	<0.01 (LOD)	mg/kg		
	Sulfentrazon	<0.02 (LOD)	mg/kg		
	Sulfoxaflor	<0.01 (LOD)	mg/kg		
	Teflubenzuron	<0.01 (LOD)	mg/kg		
	Tembotrion	<0.01 (LOD)	mg/kg		
	Tepraloxydim	<0.01 (LOD)	mg/kg		
	Terbufos-sulfon	<0.01 (LOD)	mg/kg		
	Terbufos-sulfoxide	<0.01 (LOD)	mg/kg		
	Terbuthylazin, desethyl-	<0.01 (LOD)	mg/kg		
	Tetraconazol	<0.01 (LOD)	mg/kg		
	Thiacloprid	<0.01 (LOD)	mg/kg		
	Thiamethoxam	<0.01 (LOD)	mg/kg		
	Thidiazuron	<0.01 (LOD)	mg/kg		
	Thiencarbazon-methyl	<0.01 (LOD)	mg/kg		
	Thifensulfuron methyl	<0.01 (LOD)	mg/kg		
	Thiobencarb	<0.01 (LOD)	mg/kg		
	Thiofanox-Sulfon	<0.01 (LOD)	mg/kg		
	Thiofanox-Sulfoxid	<0.01 (LOD)	mg/kg		
	Tolfenpyrad	<0.01 (LOD)	mg/kg		
	Tralkoxydim	<0.01 (LOD)	mg/kg		
	Triadimenol	<0.01 (LOD)	mg/kg		
	Triapenthenol	<0.01 (LOD)	mg/kg		
	Triazoxid	<0.01 (LOD)	mg/kg		
	Tricyclazol	<0.01 (LOD)	mg/kg		
	Trifloxystrobin	<0.01 (LOD)	mg/kg		
	FM-6-1 (metabolite triflumizole)	<0.01 (LOD)	mg/kg		
	Triflumuron	<0.01 (LOD)	mg/kg		
	Triflusulfuron-methyl	<0.01 (LOD)	mg/kg		
	3,4,5-Trimethacarb	<0.01 (LOD)	mg/kg		
	Triticonazole	<0.01 (LOD)	mg/kg		
	Tritosulfuron	<0.01 (LOD)	mg/kg		
	Uniconazole	<0.01 (LOD)	mg/kg		
	Valifenalate	<0.01 (LOD)	mg/kg		
	Warfarin	<0.01 (LOD)	mg/kg		
	XMC (Macbal)	<0.01 (LOD)	mg/kg		
	Zoxamid	<0.01 (LOD)	mg/kg		
	Spinetoram B	<0.01 (LOD)	mg/kg		
	Matrine	<0.5 (LOD)	mg/kg		
	Oxymatrine	<0.5 (LOD)	mg/kg		
	Spinetoram	<0.01 (LOD)	mg/kg		
	Spinosad (total)	<0.01 (LOD)	mg/kg		
	Benzalkoniumchlorid (total) (BAC)	<0.01 (LOD)	mg/kg		
	Fipronil (sum)	<0.01 (LOD)	mg/kg		
	Benzalkoniumchlorid (BAC) Total	<0.01 (LOD)	mg/kg		

Test	Parameter	Resultat	Enhed	U(%)	Forv. værdi
------	-----------	----------	-------	------	-------------

<L.Q. / <LOQ	:Under kvantifikationsgrænse	ND / N.D.	:Ikke detekteret	<	:Mindre end/under
<L.D. / <LOD	:Under detektionsgrænse	x.dupl.	:x bestemmelse	>	:Større end/over

#1) Eurofins Lab Zeeuws-Vlaanderen: (Ikke akkrediteret)

#: Ikke akkrediteret

Kopi sendt til:

LandboNord - Planteavl Lars Pedersen, lpe@landbonord.dk



Account Manager/ASM Kristine Meistrup

Eurofins Agro Testing Denmark A/S

Ladelundvej 85
DK-6600 Vejen
DANMARK

T | +45 76 60 42 42

F | +45 70 22 42 95

www.eurofins.dk
agro@eurofins.dk
CVR: DK36461217

Spørgsmål til analysecertifikatet rettes til Eurofins på tlf. 7660 4242 eller agro@eurofins.dk.

Resultaterne gælder udelukkende for stikprøven som den er modtaget. Resultatet er angivet som "indhold i prøven", hvis ikke andet er oplyst. U(%): Ekspanderet måleusikkerhed (dækningsfaktor k=2). Usikkerheden på NIR-analysen er opgivet som 2*SEP-værdien. Usikkerheden på NIR-analysen inklusiv usikkerheden på referencemetoden kan oplyses ved henvendelse til laboratoriet. Informationer markeret med (§) er oplyst af kunden eller vedlagt/angivet på prøven ved modtagelse og er kundens ansvar, også i tilfælde af at de påvirker analyseresultaternes validitet. Resultaterne må ikke gengives, undtagen i deres helhed, uden skriftlige tilladelse fra Eurofins. Analyser udføres iht. Eurofins generelle forretningsbetingelser, som kan ses på www.eurofins.dk.

AR-22-DR-020318-01

AR8 V: 3.8